



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

July 11, 2018

Denise Dzialo  
Senior Regulatory Manager, NA  
McDermid Agricultural Solutions, Inc.  
c/o Arysta LifeScience North America, LLC  
15401 Weston Parkway, Suite 150  
Cary, NC 27513

Subject: Notification per PRN 98-10 – Revisions to the Warranty Statement, medical and chemical emergency information and registrant address  
Product Name: Prevamite O  
EPA Registration Number: 400-582  
Application Date: 5/25/2018  
Decision Number: 541573

Dear Ms. Dzialo:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, please contact Jacquelyn Herrick by phone at 703-347-0559, or via email at [herrick.jacquelyn@epa.gov](mailto:herrick.jacquelyn@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "J. Herrick for", is written over a horizontal line.

Venus Eagle, Product Manager 01  
Invertebrate & Vertebrate Branch 3  
Registration Division (7505P)  
Office of Pesticide Programs

[Text in brackets is optional]

## NOTIFICATION

400-582

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/11/2018

GROUP	6	ACARICIDE
GROUP	20	ACARICIDE

# Prevamite® O

## MITICIDE/INSECTICIDE

### ACTIVE INGREDIENTS:

[(% BY WT.)by-weight]

**Bifenthrin**: hydrazine carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl]-3-yl) 1-methylethyl ester [(CAS No. 149877-41-8)] ..... 43.2%\*

**Abamectin** [(CAS No. 71751-41-2)] ..... 2.2%\*\*

**OTHER INGREDIENTS:** ..... 54.6%

**TOTAL:** ..... 100.0%

\*Contains 4.0 lbs. bifenthrin per gallon.

\*\*Contains 0.20 lbs. abamectin per gallon.

## KEEP OUT OF REACH OF CHILDREN

## WARNING /⚠️ AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

### FIRST AID

#### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by ~~at~~the poison control center or doctor.
- Do not give anything to an unconscious person.

#### IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

### NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.

In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

**EMERGENCY ASSISTANCE:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**FOR 24-HOUR MEDICAL EMERGENCY ASSISTANCE CALL PROPHARMA:**

1-866-303-6952 or +1-651-603-3432.

**FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) CALL**

**CHEMTREC: 1-800-424-9300 or +1-703-527-3887. 24 HOUR EMERGENCY PHONE 1-866-928-0789**

For Product Use Information: Call 1-866-761-9397

EPA Reg. No. 400-582

EPA Est. No.:

003/xxxxxxV005

NET CONTENTS:

[Batch Code will be placed on the container.]

**Produced/Manufactured For:**  
**MacDermid Agricultural Solutions, Inc.**  
**c/o ARYSTA LIFESCIENCE NORTH AMERICA, LLC**  
**15401 Weston Parkway, Suite 150**  
**Cary, NC 27513**

**245 Freight Street**  
**Waterbury CT 06702**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING/AVISO:** May be fatal if swallowed. Harmful if inhaled. Avoid breathing spray mist.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Applicators and Other Handlers Must Wear:**

- Long-sleeved shirt and long pants;
- Shoes plus socks; and
- For mixing and loading activities, wear an apron and chemical-resistant gloves made of barrier laminate, butyl rubber (>14 mils), nitrile rubber (>14 mils), neoprene rubber (>14 mils), polyvinyl chloride (>14 mils), or Viton (>14 mils).

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then, wash thoroughly and change into clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing them. As soon as possible, wash thoroughly and change clothing.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, estuarine/marine invertebrates, fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects. All use of this product in the state of California should comply with the recommendations of the California Endangered Species Project. Before using this product in California, consult with your county agriculture commissioner to determine use limitations that apply in your area.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This

standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval and notification to workers (as applicable). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over short pants and short-sleeved shirt;
- Chemical-resistant gloves – made of any waterproof material;
- Chemical-resistant shoes and socks.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

**FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONARY STATEMENTS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR MITE/INSECT CONTROL, AND/OR ILLEGAL RESIDUES**

**USE INFORMATION**

**PREVAMITE® O** is a suspension concentrate (flowable) that will control the pests on the crops listed on this label when it is applied according to the **DIRECTIONS FOR USE**. Thorough coverage of foliage is essential for good mite and insect control.

**NOTE:**

- **Adjuvant:** Residual control of pests may be enhanced with the addition of a horticultural spray oil at 0.5 to 1.0% of the spray volume on field-grown woody ornamentals, landscape plants and Christmas trees. As some plants are sensitive to oils, the user should spray a small number of plants and observe them for 2 weeks for signs of phytotoxicity before spraying additional plants. Excessive cold or warm temperatures may increase the chance of plant damage following application with oils. Carefully read and follow directions on the oil label and do not exceed maximum rates listed on either label.
- **Phytotoxicity:** The user should pre-test any proposed mixtures with **PREVAMITE O** to ensure the physical compatibility and lack of phytotoxic effects.

**RESISTANCE MANAGEMENT**

**PREVAMITE O** contains the active ingredients abamectin and bifenazate. Because of the inherent risks of pests developing resistance to any product, it is strongly advised that **PREVAMITE O** be used in a sound resistance management program. Treatment may not be effective against labeled pests if insect or mite-tolerant strains develop. When applying **PREVAMITE O** to plants that are hosts of labeled pests with multiple generations per crop per year, use resistance management practices.

Resistance management practices include, but are not limited to:

- Rotating **PREVAMITE O** with other products with different modes of action;
- Not treating successive generations with products based on abamectin or other Group 6 acaricides, or the bifenazate group, or Group 20D acaricides;
- Always applying this product at the rates prescribed by this label;
- Using non-chemical alternatives such as beneficial arthropods;
- Ensuring thorough spray coverage to all foliage.

For additional information regarding the implementation of these or other resistance management practices, consult your local agricultural advisor or company representative.

**APPLICATION DIRECTIONS**

**ORNAMENTALS**

**PREVAMITE O** provides knockdown and long residual control of a wide variety of mite pests listed in the following table below on the following plants:

- All ornamental plants, including bedding plants, flowering plants, foliage plants, ornamental bulb crops, perennials

and trees and shrubs.

- All non-bearing fruit trees which will not bear fruit for a minimum of 12 months.

**PREVAMITE O** can be used in the following areas where these plants are grown and/or maintained in containers or in the ground:

- Greenhouses and shadehouses;
- Nurseries, including Christmas tree / conifer plantations;
- Landscapes;
- Interiorscapes.

#### NOT INTENDED FOR HOMEOWNER USE

Target Pests	Application Rates Fl. Ozs. Per 100 Gals. Water	Application Instructions
<u>Mites:</u> Bamboo spider mite Broad mite Bud mite Carmine spider mite Citrus red mite Clover mite Cyclamen mite European red mite Lewis mite Pacific spider mite Rust mite Southern red mite Spruce spider mite Strawberry mite Two-spotted spider mite	3 - 4	Apply in sufficient volume of water to ensure thorough coverage of the foliage. Actual spray volume will vary depending on the size of the plants being treated. Do not exceed spray volumes of 300 gals./A.  Begin applications as soon as mites appear.  One additional application can be made after 7 days or as necessary to maintain control.  Do not make more than two (2) applications per crop per year.
Leafminers: Boxwood <i>Liriomyza</i>  Suppression only: Aphids Thrips Whiteflies	6	Apply in sufficient volume of water to ensure thorough coverage of the foliage. Actual spray volume will vary depending on the size of the plants being treated. Do not exceed spray volumes of 200 gals./A.  For control of mining larvae, apply when adults are beginning to lay eggs on the new foliage.  For suppression of pest populations, young immatures must be contacted by the spray.  One additional application can be made after 7 days or as necessary to maintain control.  Do not make more than two (2) applications per crop per year.

#### USE RESTRICTIONS

- Do not use in citrus nurseries.
- Apply by ground equipment including compressed air sprayers, hydraulic sprayers, ground boom sprayers, air blast sprayers, hose-end sprayers. Do not apply aerially.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a tightly closed container in a cool, dry place under lock and key. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dryer formulations above.

**PESTICIDE DISPOSAL:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**CONTAINER HANDLING: Nonrefillable containers: 2.5 gallons, 1 gallon, 1 quart or 8 ounces. Do not reuse or refill this container.** Triple rinse (or equivalent) as follows: Empty the remaining contents into application equipment or a mix-tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake container for 10 seconds. Pour rinsate into application equipment or a mix-tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**If pressure rinsing:** Empty the remaining contents into application equipment or a mix-tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix-tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Then offer container for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances.

**Recycling:** Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer or contact the Ag Container Recycling Council (ACRC) at 1-877-952-2272 (toll free) or [www.acrecycle.org](http://www.acrecycle.org).

#### **Warranty and Disclaimer Statement**

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Arysta LifeScience North America, LLC ("Arysta"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. All such risks shall be assumed by the user or buyer.

Arysta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Arysta, and is subject to the inherent risks described above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF ARYSTA IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF ARYSTA, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT ARYSTA'S ELECTION, THE REPLACEMENT OF THE PRODUCT.**

Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation.

~~**IMPORTANT NOTICE**—Sellers warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and to the extent consistent with applicable law, the buyer assumes the risk of any such use.~~

@PREVAMITE is a registered trademark of an Arysta LifeScience Group Company MacDermid Agricultural Solutions, Inc.

©Copyright 20186, Arysta LifeScience Group Company MacDermid Agricultural Solutions, Inc.